




Kramer Connect

Cables, Adapters, Connectors, Table Boxes, Inserts, Wall Plates, AV Tools, and More



kramerav.com

Cables & Adapters



Cable Assemblies

USB 3.2

USB-C Full Featured

C-U32/FF

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Passive Cable



C-U32/FF-3	0.9 m
C-U32/FF-6	1.8 m

C-U32/FF-3(nkl)

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Cable without K-Lock-3ft



C-U32/FF-3(nkl)-3	0.9 m
C-U32/FF-3(nkl)-6	1.8 m

CA-U32/FF

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Active Cable



C-U32/FF-10	3.0 m
C-U32/FF-15	4.6 m

CLS-AOCU32/FF

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Active AOC Cable



CLS-AOCU32/FF-15	4.6 m
CLS-AOCU32/FF-25	7.6 m
CLS-AOCU32/FF-35	10.7 m

USB-C DATA Only

C-USB31/CA-3

USB 3.2 GEN-2 Cables USB-C (M) to USB-A (M) — 3ft



C-USB31/CB-3

USB 3.2 GEN-2 Cables USB-C (M) to USB-B (M) — 3ft



C- USB31/CMicroB-3

USB 3.2 GEN-2 Cables USB-C (M) to USB-MicroB (M) — 3ft



CA-USB31/CCE

USB 3.2 GEN-2 Data only USB-C (M) to USB-C (F) Active Cable



CA-USB31/CCE-10	3.0 m
CA-USB31/CCE-15	4.6 m

CA-USB31/CAE

USB 3.2 GEN-2 Data only USB-C (M) to USB-A (F) Active Cable



CA-USB31/CAE-10	3.0 m
CA-USB31/CAE-15	4.6 m

CLS-AOCU31/CC

USB 3.2 GEN-2 Data only USB-C (M) to USB-C (M) Active AOC Cable



CLS-AOCU31/CC-10	3.0 m
CLS-AOCU31/CC-15	4.6 m
CLS-AOCU31/CC-25	7.6 m
CLS-AOCU31/CC-35	10.7 m
CLS-AOCU31/CC-50	15.2 m

Cable Assemblies

USB 3.2

USB-C DATA Only

CP-AOCU31/CC

USB 3.2 GEN-2 Data only USB-C (M) to USB-C (M) Active AOC Cable- Plenum Rated



CP-AOCU31/CC-10	3.0 m
CP-AOCU31/CC-15	4.6 m
CP-AOCU31/CC-25	7.6 m
CP-AOCU31/CC-35	10.7 m
CP-AOCU31/CC-50	15.2 m

USB C VIDEO Only

C-USBC/HM

USB Type-C (M) to HDMI (M) Cable



C-USBC/HM-6	1.8 m
C-USBC/HM10	3.0 m
C-USBC/HM-15	4.6 m

CLS-AOCU/CH

Active Optical 4K USB Type C (M) to HDMI (M) — Low Smoke & Halogen Free



CLS-AOCU/CH-15	4.6 m
CLS-AOCU/CH-33	10 m
CLS-AOCU/CH-50	15.2 m
CLS-AOCU/CH-66	20 m
CLS-AOCU/CH-98	30 m

CP-AOCU/CH

Active Optical 4K USB Type C (M) to HDMI (M) — Plenum Rated



CP-AOCU/CH-15	4.6 m
CP-AOCU/CH-33	10 m
CP-AOCU/CH-50	15.2 m
CP-AOCU/CH-66	20 m
CP-AOCU/CH-98	30 m

USB 3.0

Passive

C-USB3/AA

USB 3.0 A (M) to A (M) Cable



C-USB3/AA-3	0.9 m
C-USB3/AA-6	1.8 m

C-USB3/AAE

USB 3.0 A (M) to A (F) Extension Cable



C-USB3/AAE-3	0.9 m
C-USB3/AAE-6	1.8 m
C-USB3/AAE-10	3 m

C-USB3/AB

USB 3.0 A (M) to B (M) Cable



C-USB3/AB-3	0.9 m
C-USB3/AB-6	1.8 m
C-USB3/AB-3	3.0 m
C-USB3/AB-6	4.6 m

Active

CA-USB3/AAE

USB 3.0 Active Extender Cable



CA-USB3/AAE-15	4.6m
CA-USB3/AAE-25	7.6m
CA-USB3/AAE-35	10.6m
CA-USB3/AAE-50	15.2m

Cable Assemblies

USB 2.0

Passive

C-USB/AA

USB 2.0 A (M) to A (M) Cable



C-USB/AA-3	0.9 m
C-USB/AA-6	1.8 m
C-USB/AA-10	3.0 m
C-USB/AA-15	4.6 m

C-USB/AEE

USB 2.0 A (M) to A (F) Extension Cable



C-USB/AEE-1	0.3 m
C-USB/AEE-3	0.9 m
C-USB/AEE-6	1.8 m
C-USB/AEE-10	3.0 m
C-USB/AEE-15	4.6 m

C-USB/AB

USB 2.0 A (M) to B (M) Cable



C-USB/AB-3	0.9 m
C-USB/AB-6	1.8 m
C-USB/AB-10	3.0 m
C-USB/AB-15	4.6 m

C-USB/MINI5

USB 2.0 A (M) to Mini-B 4-pin (M) Cable



C-USB/Mini5-3	0.9 m
C-USB/Mini5-6	1.8 m
C-USB/Mini5-10	3.0 m
C-USB/Mini5-15	4.6 m

C-USB/MICROB

USB 2.0 A (M) to Micro-B (M) Cable



C-USB/MicroB-3	0.9 m
C-USB/MicroB-6	1.8 m
C-USB/MicroB-10	3.0 m
C-USB/MicroB-15	4.6 m

C-UA/LTN

Apple Certified Lightning to USB Sync & Charge Cable



C-UA/LTN/BK-3	0.9 m
C-UA/LTN/BK-6	1.8 m
C-UA/LTN/BK-10	3.0 m
C-UA/LTN/BK-15	4.6 m

Active

CA-UAM/UAF

USB 2.0 Active Extender Cable



CA-UAM/UAF-15	4.6 m
CA-UAM/UAF-25	7.6 m
CA-UAM/UAF-35	10.7 m
CA-UAM/UAF-50	15.2 m
CA-UAM/UAF-65	19.5 m

CPA-UAM/UAF

USB Active Extender Cable — Plenum Rated



CPA-UAM/UAF-25	7.6 m
CPA-UAM/UAF-35	10.7 m
CPA-UAM/UAF-50	15.2 m
CPA-UAM/UAF-65	19.5 m

Cable Assemblies

HDMI™

Passive

C-HMU

Ultra High-Speed HDMI Cable with Ethernet



C-HMU-3	0.9 m	8K@60 Hz
C-HMU-6	1.8 m	8K@60 Hz
C-HMU-10	3 m	8K@60 Hz
C-HMU-15	4.6 m	8K@60 Hz



C-HM/HM

Premium High-Speed Cable With Ethernet



C-HM/HM-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM-10	3.0 m	4K@60 Hz (4:4:4)
C-HM/HM-15	4.6 m	4K@60 Hz (4:4:4)
C-HM/HM-25	7.6 m	1080p@60 Hz 36 bit
C-HM/HM-35	10.6 m	1080p@60 Hz 36 bit
C-HM/HM-50	15.2 m	1080p@60 Hz



C-HM/HM/PRO

Premium High-Speed HDMI Cable with Ethernet



C-HM/HM/PRO-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-10	3.0 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-15	4.6 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-20	6.1 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-25	7.6 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-35	10.6 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-40	12 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-50	15.2 m	1080p@60 Hz 36 bit
C-HM/HM/PRO-65	19.5 m	1080p@60 Hz



C-MHM/MHM

Flexible High-Speed HDMI Cable with Ethernet



C-MHM/MHM-1	0.3 m	4K@60 Hz (4:4:4)
C-MHM/MHM-2	0.6 m	4K@60 Hz (4:4:4)
C-MHM/MHM-3	0.9 m	4K@60 Hz (4:4:4)
C-MHM/MHM-6	1.8 m	4K@60 Hz (4:4:4)
C-MHM/MHM-10	3.0 m	4K@60 Hz (4:4:4)
C-MHM/MHM-15	4.6 m	1080P 12-bit
C-MHM/MHM-25	7.6 m	1080P 12-bit
C-MHM/MHM-35	10.70m	1080P 12-bit
C-MHM/MHM(W)-1	0.30m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-2	0.60m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-3	0.90m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-6	1.80m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-10	3.00m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-15	4.60m	1080P 12-bit
C-MHM/MHM(W)-25	7.60m	1080P 12-bit
C-MHM/MHM(W)-35	10.70m	1080P 12-bit



C-HM/HM/PICO

Ultra-Slim Flexible High-Speed HDMI Cable with Ethernet



C-HM/HM/PICO/BK-1	0.3 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-2	0.6 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-10	3.0 m	4K@60 Hz (4:2:0)
C-HM/HM/PICO/WH-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/WH-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/WH-10	3.0 m	4K@60 Hz (4:2:0)



C-HM/ETH

Entry-level High speed HDMI cable with Ethernet



C-HM/ETH-3	0.9m	4K@60 Hz (4:4:4)
C-HM/ETH-6	1.8m	4K@60 Hz (4:4:4)
C-HM/ETH-10	3.0m	4K@60 Hz (4:4:4)
C-HM/ETH-15	4.6m	4K@60 Hz (4:4:4)
C-HM/ETH-25	7.6m	4K@60 Hz (4:2:0)
C-HM/ETH-35	10.6m	4K@60 Hz (4:2:0)
C-HM/ETH-50	15.2m	1080P@60 Hz



Adapter Cable HDMI-HDMI		
ADC-HM/HF/PICO	0.3 m	4K@60H Hz (4:4:4)
C-HM/HM/PICO/BK-5	1.5 m	4K@60H Hz (4:4:4)

Available Colors — Black, green, yellow, orange, red and pink in lengths 3ft,6ft,10ft

CLS-HM/HM/ETH

High-Speed HDMI Cable with Ethernet — Low Smoke & Halogen Free



CLS-HM/HM/ETH-3	0.9 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-6	1.8 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-10	3.0 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-15	4.6 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-25	7.6 m	4K@60Hz (4:2:0)
CLS-HM/HM/ETH-35	10.7 m	4K@60Hz (4:2:0)
CLS-HM/HM/ETH-50	15.2 m	1080p@60Hz



CP-HM/HM/ETH

High-Speed HDMI Cable with Ethernet — Plenum Rated



CP-HM/HM/ETH-15	4.6 m	4K@60Hz (4:4:4)
CP-HM/HM/ETH-25	7.6 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-35	10.7 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-40	12.0 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-45	13.7 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-50	15.2 m	1080p@60Hz 12-bit

Only in N. America



C-MHMA/MHMA

Flexible High-Speed HDMI Cable with Ethernet & 3.5mm Stereo Audio



C-MHMA/MHMA-3	0.9 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-6	1.8 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-10	3.0 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-15	4.6 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-25	7.6 m	4K@60Hz (4:2:0)



Cable Assemblies

HDMI™

Passive

C-HM/HM/FLAT/ETH

Flat High-Speed HDMI Cable with Ethernet



C-HM/HM/FLAT/ETH-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-10	3.0 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-15	4.6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-25	7.6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-35	10.6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-50	15.2 m	1080p@60Hz 12-Bit
C-HM/HM/FLAT/ETH-75	22.9 m	1080p@60 Hz*

C-HM/EEP

High-Speed HDMI Cable with Ethernet with Enhanced EMI Protection



C-HM/EEP-3	0.90m	4K@60Hz (4:4:4)
C-HM/EEP-6	1.80m	4K@60Hz (4:4:4)
C-HM/EEP-10	3.00m	4K@60Hz (4:4:4)

C-HM/RA

High-Speed HDMI Right Angle Cable with Ethernet



C-HM/RA-3	0.9 m	4K@60Hz (4:4:4)
C-HM/RA-6	1.8 m	4K@60Hz (4:4:4)
C-HM/RA-10	3 m	4K@60Hz (4:4:4)
C-HM/RA-15	4.6 m	4K@60Hz (4:4:4)

C-HM/HM/A-C

High-Speed HDMI with Ethernet to Mini HDMI Cable



C-HM/HM/A-C-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/A-C-6	1.8 m	4K@60 Hz (4:2:0)
C-HM/HM/A-C-10	3.0 m	4K@60 Hz (4:2:0)

C-HM/HM/A-D

High-Speed HDMI with Ethernet to Micro HDMI Cable



C-HM/HM/A-D-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/A-D-6	1.8 m	4K@60 Hz (4:2:0)
C-HM/HM/A-D-10	3.0 m	4K@60 Hz (4:2:0)

Active

CA-HM

Active High Speed HDMI Cable with Ethernet



CA-HM-15	4.6 m	4K@60 Hz (4:4:4)
CA-HM-25	7.6 m	4K@60 Hz (4:4:4)
CA-HM-35	10.6 m	4K@60 Hz (4:4:4)
CA-HM-50	15.2 m	4K@60 Hz (4:2:0)
CA-HM-66	20 m	4K@60 Hz (4:2:0)
CA-HM-82	25 m	4K@60 Hz (4:2:0)
CA-HM-98	30 m	1080P

HDMI AOC

CLS-AOCH/60F

Active Optical 4K HDMI Cable — Low Smoke & Halogen Free



CLS-AOCH-33	10 m	4K@60 Hz (4:4:4)
CLS-AOCH-50	15.2 m	4K@60 Hz (4:4:4)
CLS-AOCH-66	20 m	4K@60 Hz (4:4:4)
CLS-AOCH-98	30 m	4K@60 Hz (4:4:4)
CLS-AOCH-131	40 m	4K@60 Hz (4:4:4)
CLS-AOCH-164	50 m	4K@60 Hz (4:4:4)
CLS-AOCH-197	60 m	4K@60 Hz (4:4:4)
CLS-AOCH-230	70 m	4K@60 Hz (4:4:4)
CLS-AOCH-262	80 m	4K@60 Hz (4:4:4)
CLS-AOCH-295	90 m	4K@60 Hz (4:4:4)

CP-AOCH/60F

Only in N. America

Active Optical 4K HDMI Cable — Plenum Rated



↳AOCH-33	10 m	4K@60Hz (4:4:4)
↳AOCH-50	15.2 m	4K@60Hz (4:4:4)
↳AOCH-66	20 m	4K@60Hz (4:4:4)
↳AOCH-98	30 m	4K@60Hz (4:4:4)
↳AOCH-131	40 m	4K@60Hz (4:4:4)
↳AOCH-164	50 m	4K@60Hz (4:4:4)
↳AOCH-197	60 m	4K@60Hz (4:4:4)
↳AOCH-230	70 m	4K@60Hz (4:4:4)
↳AOCH-262	80 m	4K@60Hz (4:4:4)
CP-AOCH-295	90 m	4K@60Hz (4:4:4)

CLS-AOCH/UF

Ultra High-Speed HDMI Optic Hybrid Cable — Low Smoke & Halogen Free



CLS-AOCH/UF-33	10 m	8K@60 Hz
CLS-AOCH/UF-50	15.2 m	8K@60 Hz
CLS-AOCH/UF-66	20 m	8K@60 Hz
CLS-AOCH/UF-98	30 m	8K@60 Hz
CLS-AOCH/UF-131	40m	8K@60 Hz
CLS-AOCH/UF-164	50m	8K@60 Hz
CLS-AOCH/UF-197	60m	8K@60 Hz
CLS-AOCH/UF-230	70m	8K@60 Hz
CLS-AOCH/UF-262	80m	8K@60 Hz
CLS-AOCH/UF-295	90m	8K@60 Hz
CLS-AOCH/UF-328	100m	8K@60 Hz

Cable Assemblies

HDMI™

HDMI AOC

CP-AOCH/UF

Ultra High-Speed HDMI Optic Hybrid Cable — Plenum Rated

Only in N. America



CP-AOCH/UF-33	10 m	8K@60Hz (4:2:0)
CP-AOCH/UF-50	15.2 m	8K@60Hz (4:2:0)
CP-AOCH/UF-66	20 m	8K@60Hz (4:2:0)
CP-AOCH/UF-98	30 m	8K@60Hz (4:2:0)
CLS-AOCH/UF-131	40m	8K@60Hz (4:2:0)
CLS-AOCH/UF-164	50m	8K@60Hz (4:2:0)
CLS-AOCH/UF-197	60m	8K@60Hz (4:2:0)
CLS-AOCH/UF-230	70m	8K@60Hz (4:2:0)
CLS-AOCH/UF-262	80m	8K@60Hz (4:2:0)
CLS-AOCH/UF-295	90m	8K@60Hz (4:2:0)
CLS-AOCH/UF-328	100m	8K@60Hz (4:2:0)

CLS-AOCH/60

Active Optical 4K Pluggable HDMI Cable — Low Smoke & Halogen Free



CLS-AOCH/60-33	10 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-50	15.2 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-66	20 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-98	30 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-131	40 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-164	50 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-197	60 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-230	70 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-262	80 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-295	90 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-328	100 m	4K@60 Hz (4:4:4)

CP-AOCH/60

Active Optical 4K Pluggable HDMI Cable — Plenum Rated

Only in N. America



CP-AOCH/60-33	10 m	4K@60Hz (4:4:4)
CP-AOCH/60-50	15.2 m	4K@60Hz (4:4:4)
CP-AOCH/60-66	20 m	4K@60Hz (4:4:4)
CP-AOCH/60-98	30 m	4K@60Hz (4:4:4)
CP-AOCH/60-131	40 m	4K@60Hz (4:4:4)
CP-AOCH/60-164	50 m	4K@60Hz (4:4:4)
CP-AOCH/60-197	60 m	4K@60Hz (4:4:4)
CP-AOCH/60-230	70 m	4K@60Hz (4:4:4)
CP-AOCH/60-262	80 m	4K@60Hz (4:4:4)
CP-AOCH/60-295	90 m	4K@60Hz (4:4:4)
CP-AOCH/60-328	100 m	4K@60Hz (4:4:4)

CRS-FIBERH-SI

Secured Unidirectional HDMI over Pure Fiber Cable



CRS-FIBERH-SI-6	1.8 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-10	3.0 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-15	4.6 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-23	7 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-33	10 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-50	15.2 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-66	20 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-98	30 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-131	40 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-6164	50 m	4K@60Hz (4:2:0)

AD-AOCH/XL/TR

HDMI Adapter Set for AOCH/XL Cable



AD-AOCH/XL/TR	Up to 4K@60 Hz (4:4:4)
---------------	------------------------

AD-AOCD/XL/TR

DVI Tx&Rx Adapter Set for AOCH/XL and AOCH/60 Cables



AD-AOCD/XL/TR	DVI
---------------	-----

Supported Resolutions — AD-AOCD/XL/TR: up to 1080p and UXGA (1600X1200 @60Hz) & WUXGA (1920X1200 @60Hz)

CRS-PlugNView-H

Active Optical Armored 4K HDMI Cable



CRS-PlugNView-H-33	10.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-50	15.20 m	4K@60 (4:4:4)
CRS-PlugNView-H-66	20.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-98	30.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-131	40.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-164	50.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-197	60.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-230	70.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-262	80.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-328	1000.00 m	4K@60 (4:4:4)

CRS-PLUGNVIEW-DP



CRS-PlugNView-DP-33	10.0 m	8K@60Hz
CRS-PlugNView-DP-50	15.20 m	8K@60Hz
CRS-PlugNView-DP-66	20.0 m	8K@60Hz
CRS-PlugNView-DP-98	30.0 m	8K@60Hz
CRS-PlugNView-DP-131	40.0 m	8K@60Hz
CRS-PlugNView-DP-164	50.0 m	8K@60Hz
CRS-PlugNView-DP-197	60.0 m	8K@60Hz
CRS-PlugNView-DP-230	70.0 m	8K@60Hz
CRS-PlugNView-DP-262	80.0 m	8K@60Hz
CRS-PlugNView-DP-295	90.0 m	8K@60Hz
CRS-PlugNView-DP-328	100.0 m	8K@60Hz

Cable Assemblies

HDMI™

HDMI to DVI

C-HM/DM

HDMI to DVI Cable



C-HM/DM-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/DM-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/DM-10	3.0 m	4K@60 Hz (4:2:0)
C-HM/DM-15	4.6 m	4K@60 Hz (4:2:0)
C-HM/DM-25	7.6 m	1080p@60 Hz 36 bit
C-HM/DM-35	10.6 m	1080p@60 Hz 36 bit
C-HM/DM-50	15.2 m	1080p@60 Hz

KVM

C-KVM

KVM Cable




C-KVM/1-6KVM	1.8 m
C-KVM/2-6KVM	1.8 m
C-KVM/3-6KVM	1.8 m

Fiber Optic

C-4LC/4LC

4 LC Fiber Optic Cable



C-4LC/4LC-33	10 m
C-4LC/4LC-66	20 m
C-4LC/4LC-99	30 m
C-4LC/4LC-164	50 m
C-4LC/4LC-200	60 m
C-4LC/4LC-328	100 m
C-4LC/4LC-656	200 m
C-4LC/4LC-984	300 m
C-4LC/4LC-1640	500 m
C-2LC/2LC-33	10 m
C-2LC/2LC-66	20 m
C-2LC/2LC-99	30 m

CLS-2LC/OM3

2 LC MM OM3 Fiber Optic Cable — Low Smoke & Halogen Free



CLS-2LC/OM3-33	10.00 m
CLS-2LC/OM3-66	20.00 m
CLS-2LC/OM3-98	30.00 m
CLS-2LC/OM3-164	50.00 m
CLS-2LC/OM3-246	75.00 m
CLS-2LC/OM3-328	100.00 m
CLS-2LC/OM3-558	170.00 m
CLS-2LC/OM3-656	200.00 m

C-SC/SC/OM4

OM4 Multi-Mode Fiber Optic Cable



C-SC/SC/OM4-33	10 m
C-SC/SC/OM4-66	20 m
C-SC/SC/OM4-98	30 m
C-SC/SC/OM4-164	50 m
C-SC/SC/OM4-246	75 m
C-SC/SC/OM4-328	100 m
C-SC/SC/OM4-558	170 m
C-SC/SC/OM4-656	200 m
C-SC/SC/OM4-820	250 m

610R/T

DVI Rx/Tx Extender over Ultra-Reach MM Fiber



Supported Resolutions — 1920x1200@60, Max.
Data Rate — 4.95Gbps (1.65Gbps per graphic channel)

602R/T

Detachable DVI Optical Transmitter & Receiver



Max. Resolution — Up to WUXGA (1920x1200)
@60Hz, 1080p.

614R/T

Single-Fiber Detachable DVI Optical Transmitter & Receiver



612R/T

4K60 4:4:4 DP Transmitter/Receiver over Extended-Reach MM Fiber Optic



Supported Resolutions —
4K@60(4:4:4)



617R/T

4K HDR HDMI Transmitter/Receiver over Extended-Reach MM Fiber Optic



Supported Resolutions —
4K@60(4:4:4)




Cable Assemblies

U/FTP CAT6

C-UNIKAT

CAT6A U/FTP Video & LAN Cable Assembly



C-UNIKat-2	0.6 m
C-UNIKat-3	0.9 m
C-UNIKat-6	1.8 m
C-UNIKat-10	3.0 m
C-UNIKat-15	4.6 m
C-UNIKat-25	7.6 m
C-UNIKat-35	10.6 m
C-UNIKat-50	15.2 m
C-UNIKat-75	22.9 m
C-UNIKat-100	30.5 m
C-UNIKat-125	38.1 m
C-UNIKat-150	45.7 m
C-UNIKat-164	50.0 m
C-UNIKat-200	60.0 m
C-UNIKat-230	70.0 m
C-UNIKat-328	100.0 m

PC6A-LS508

CAT6A S/FTP 500MHz 4x2x26AWG Patch Cord



PC6A-LS508-0.15M	0.15 m
PC6A-LS508-0.3M	0.3 m
PC6A-LS508-0.5M	0.5 m
PC6A-LS508-1M	1.0 m
PC6A-LS508-2M	2.0 m
PC6A-LS508-3M	3.0 m
PC6A-LS508-4M	4.0 m
PC6A-LS508-5M	5.0 m
PC6A-LS508-7M	20.0 m
PC6A-LS508-10M	10.0 m
PC6A-LS508-15M	15.0 m
PC6A-LS508-30M	30 m

PC6-1

CAT6 UTP 250MHz CM 4x2x24AWG Patch Cord



PC6-108-0.5	0.15 m
PC6-108-1	0.30 m
PC6-108-3	0.90 m
PC6-108-5	1.50 m
PC6-108-7	2.00 m
PC6-108-10	3.00 m
PC6-108-15	4.60 m

DisplayPort

Passive

C-DPU

8K DisplayPort Cable



C-DPU-3	0.9 m	8K@60 Hz
C-DPU-6	1.8 m	8K@60 Hz
C-DPU-10	3.0 m	8K@60 Hz

C-DP

4K DisplayPort Cable



C-DP-3	0.9 m	4K@60 Hz (4:4:4)
C-DP-6	1.8 m	4K@60 Hz (4:4:4)
C-DP-10	3.0 m	4K@60 Hz (4:4:4)
C-DP-15	4.6 m	4K@60 Hz (4:4:4)
C-DP-25	7.6 m	4K@60 Hz (4:4:4)
C-DP-35	10.6 m	4K@60 Hz (4:2:0)
C-DP-50	15.2 m	1080p@60

C-MDPM/MDPM

Flexible DisplayPort Cable



C-MDPM/MDPM-1	0.3 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-2	0.6 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-3	0.9 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-6	1.8 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-10	3.0 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-15	4.6 m	4K@60 Hz (4:2:0)
C-MDPM/MDPM-25	7.6 m	1080@60 Hz 12-bit

AOC

CLS-AOCDP/UF

Active Optical DisplayPort Cable-Low Somke Halogen Free



CLS-AOCDP/UF-33	10.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-50	15.2 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-66	20.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-98	30.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-131	40.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-164	50.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-197	60.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-230	70.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-262	80.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-295	90.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-328	100.0 m	8K@60 Hz (4:4:4)

CP-AOCDP/UF

Active Optical DisplayPort Cable-Plenum rated



CP-AOCDP/UF-33	10 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-50	15m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-66	20 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-98	30 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-131	40 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-164	50 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-197	60 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-230	70 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-262	80m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-295	90m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-328	100 m	8K@60 Hz (4:4:4)

Cable Assemblies

DisplayPort to HDMI

C-MDP/DPM

Mini DisplayPort to DisplayPort Cable



C-MDP/DPM-3	0.9 m	4K@60 Hz (4:4:4)
C-MDP/DPM-6	1.8 m	4K@60 Hz (4:4:4)

C-DPM/HM

DisplayPort to HDMI Cable



C-DPM/HM-3	0.9 m	1080p@60
C-DPM/HM-6	1.8 m	1080p@60
C-DPM/HM-10	3.0 m	1080p@60
C-DPM/HM-15	4.6 m	1080p@60

C-DPM/HM/UHD

DisplayPort (M) to HDMI (M) 4K Active Cable



C-DPM/HM/UHD-3	0.9 m	4K@60 Hz (4:4:4)
C-DPM/HM/UHD-6	1.8 m	4K@60 Hz (4:4:4)
C-DPM/HM/UHD-10	3.0 m	4K@60 Hz (4:4:4)

C-MDP/HM

Mini DisplayPort to HDMI Cable



C-MDP/HM-3	0.9 m	1080p@60
C-MDP/HM-6	1.8 m	1080p@60
C-MDP/HM-15	4.6 m	1080p@60
C-MDP/HM-25	7.6 m	1080p@60

C-DPM/HM/UHD

Mini DisplayPort (M) to HDMI (M) 4K Active Cable



C-MDP/HM/UHD-3	0.9 m	4K@60 Hz (4:4:4)
C-MDP/HM/UHD-6	1.8 m	4K@60 Hz (4:4:4)
C-MDP/HM/UHD-10	3.0 m	4K@60 Hz (4:4:4)

IR

C-A35M/IRE



C-A35M/IRE-10 (Single)	3.0 m
------------------------	-------

C-A35M/IRRW

3.5mm Male to Wide-Hz-Range IR Receiver Cable



C-A35M/IRRW	0.9 m
-------------	-------

RS-232

C-D9M/D9F

RS-232 Control Cable



C-D9M/D9F-3	0.9 m
C-D9M/D9F-6	1.8 m
C-D9M/D9F-10	3.0 m
C-D9M/D9F-15	4.6 m
C-D9M/D9F-25	7.6 m
C-D9M/D9F-35	10.6 m
C-D9M/D9F-50	15.2 m

C-D9F/OPEN

RS-232 to Open End Control Cable



C-D9F/OPEN-3	0.9 m
C-D9F/OPEN-6	1.8 m
C-D9F/OPEN-10	3.0 m
C-D9F/OPEN-15	4.6 m
C-D9F/OPEN-25	7.6 m
C-D9F/OPEN-35	10.6 m
C-D9F/OPEN-50	15.2 m

Cable Assemblies

DVI

C-DM/DM

DVI Dual Link Copper Cable



C-DM/DM-1.5	0.5 m	2560x1600
C-DM/DM-3	0.9 m	2560x1600
C-DM/DM-6	1.8 m	2560x1600
C-DM/DM-10	3.0 m	2560x1600
C-DM/DM-15	4.6 m	2560x1600
C-DM/DM-25	7.6 m	2560x1600
C-DM/DM-33	10 m	1920x1200
C-DM/DM-40	12 m	1920x1200
C-DM/DM-50	15.5 m	1920x1200
C-DM/DM-65	19.5 m	800x600

C-DM/DM/XL

DVI Single Link Copper Cable



C-DM/DM/XL-3	0.9 m	4K@30 Hz/1920x1200
C-DM/DM/XL-6	1.8 m	4K@30 Hz/1920x1200
C-DM/DM/XL-10	3.0 m	4K@30 Hz/1920x1200
C-DM/DM/XL-15	4.6 m	4K@30 Hz/1920x1200
C-DM/DM/XL-25	7.6 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-35	10.6 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-50	15.2 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-65	19.5 m	1080p@60 Hz 36 bit/1920x1200

C-MDM/MDM

Flexible DVI Single Link Copper Cable



C-MDM/MDM-3	0.9 m	1920x1200
C-MDM/MDM-6	1.8 m	1920x1200
C-MDM/MDM-10	3.0 m	1920x1200
C-MDM/MDM-15	4.6 m	1920x1200
C-MDM/MDM-25	7.6 m	1920x1200

Audio

C-XLQM/XLQF

XLR Quad Cable



C-XLQM/XLQF-1	0.3 m
C-XLQM/XLQF-1.5	0.5 m
C-XLQM/XLQF-3	0.9 m
C-XLQM/XLQF-6	1.8 m
C-XLQM/XLQF-10	3.0 m
C-XLQM/XLQF-15	4.6 m
C-XLQM/XLQF-25	7.6 m
C-XLQM/XLQF-35	10.6 m
C-XLQM/XLQF-50	15.2 m
C-XLQM/XLQF-75	22.9 m
C-XLQM/XLQF-100	30.5 m
C-XLQM/XLQF-125	38.1 m
C-XLQM/XLQF-150	45.7 m

C-A63M/XLM

6.3mm Male to 3-pin XLR Male Cabl



C-A63M/XLM-10	3.0 m
C-A63M/XLM-15	4.6 m
C-A63M/XLM-25	7.6 m

C-A35M/A35M

3.5mm Stereo Audio Cable



C-A35M/A35M-3	0.9 m
C-A35M/A35M-6	1.8 m
C-A35M/A35M-10	3.0 m
C-A35M/A35M-15	4.6 m
C-A35M/A35M-25	7.6 m
C-A35M/A35M-35	10.6 m
C-A35M/A35M-50	15.2 m
C-A35M/A35M-65	19.5 m
C-A35M/A35M-75	22.9 m
C-A35M/A35M-100	30.5 m

C-A35M/2RAM

3.5mm to 2 RCA Breakout Cable



C-A35M/2RAM-3	0.9 m
C-A35M/2RAM-6	1.8 m
C-A35M/2RAM-10	3.0 m
C-A35M/2RAM-15	4.6 m
C-A35M/2RAM-25	7.6 m
C-A35M/2RAM-35	10.6 m
C-A35M/2RAM-50	15.2 m

C-A35F/2RAM

3.5mm to 2 RCA Breakout Cable



C-A35F/2RAM-1	0.3 m
---------------	-------

C-2RAM/2RAM

RCA Stereo Audio Cable



C-2RAM/2RAM-1	0.3 m
C-2RAM/2RAM-2	0.6 m
C-2RAM/2RAM-3	0.9 m
C-2RAM/2RAM-6	1.8 m
C-2RAM/2RAM-10	3.0 m
C-2RAM/2RAM-15	4.6 m
C-2RAM/2RAM-25	7.6 m
C-2RAM/2RAM-35	10.6 m
C-2RAM/2RAM-50	15.2 m

Cable Assemblies

VGA

C-GM/GM

15-pin HD to 15-pin HD Cables



C-GM/GM-1	0.3 m
C-GM/GM-3	0.9 m
C-GM/GM-6	1.8 m
C-GM/GM-10	3.0 m
C-GM/GM-15	4.6 m
C-GM/GM-25	7.6 m
C-GM/GM-35	10.6 m
C-GM/GM-50	15.2 m
C-GM/GM-75	22.9 m
C-GM/GM-100	30.5 m
C-GM/GM-125	38.1 m
C-GM/GM-150	45.7 m

C-MGM/MGM

15-pin HD Micro Cable



C-MGM/MGM-1	0.3 m
C-MGM/MGM-2	0.6 m
C-MGM/MGM-3	0.9 m
C-MGM/MGM-6	1.8 m
C-MGM/MGM-10	3.0 m
C-MGM/MGM-15	4.6 m
C-MGM/MGM-25	7.6 m
C-MGM/MGM-35	10.7 m

C-GMA/GMA

15-pin HD & 3.5mm Stereo Audio Cable



C-GMA/GMA-3	0.9 m
C-GMA/GMA-6	1.8 m
C-GMA/GMA-10	3.0 m
C-GMA/GMA-15	4.6 m
C-GMA/GMA-25	7.6 m
C-GMA/GMA-35	10.6 m
C-GMA/GMA-50	15.2 m
C-GMA/GMA-75	22.9 m

C-MGMA/MGMA

15-pin HD & 3.5mm Stereo Audio Micro Cable



C-MGMA/MGMA-3	0.9 m
C-MGMA/MGMA-6	1.8 m
C-MGMA/MGMA-10	3.0 m
C-MGMA/MGMA-15	4.6 m
C-MGMA/MGMA-25	7.6 m

BNC

C-BM/BM

BNC Coax Video Cable



C-BM/BM-1.5	0.5 m
C-BM/BM-3	0.9 m
C-BM/BM-6	1.8 m
C-BM/BM-10	3.0 m
C-BM/BM-15	4.6 m
C-BM/BM-25	7.6 m
C-BM/BM-35	10.6 m
C-BM/BM-50	15.2 m
C-BM/BM-75	22.9 m
C-BM/BM-100	30.5 m
C-BM/BM-150	45.7 m

Adapters

Analog Adapters



AD-BF/RM
BNC (F) to RCA (M) Adapter



AD-BM/RF
BNC (M) to RCA (F) Adapter



AD-BF/BF
BNC (F/F) Gender Changer



AD-GF/GF
15-pin HD (F/F) Gender Changer

Digital Adapters



AD-DM/HF
DVI-D (M) to HDMI (F) Adapter



AD-DF/HM
DVI-I (F) to HDMI (M) Adapter



AD-DM/GF
DVI (M) to 15-pin HD (F) Adapter



AD-HF/HF
HDMI (F/F) Gender Changer



AD-HF/HF/RA
HDMI (F) to HDMI (F) Right-Angled Gender Changer



AD-HF/HM/RA
HDMI (F) to HDMI (M) Right-Angled Adapter



AD-DF/DM/RA
DVI-I (F) to DVI-I (M) Right-Angled Adapter



ADC-DM/HF
DVI-D (M) to HDMI (F) Adapter Cable



ADC-DF/HM
DVI-I (F) to HDMI (M) Adapter Cable



AD-UC/HF
USB C male to HDMI female 4K@30



AD-MDP/DPF
mini DisplayPort to DisplayPort 1920x1200



AD-DP/HF
DisplayPort male to HDMI female 1920x1200



AD-MDP/HF
Mini DisplayPort male to HDMI female 1920x1200



AD-DP/DF
DisplayPort male to DVI female 1920x1200

Adapters

AD-RING



AD-RING-1

DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
Mini DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-2

DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
Mini DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
Mini HDMI type-C (M) to HDMI (F)	Adapter	1080p/1920x1200
Micro HDMI type-D (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-3

DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
Mini DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
Mini HDMI type-C (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-4



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter Cable	4K



AD-RING-5



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K
DisplayPort (M) to HDMI (F)	Adapter	4K
Mini HDMI type-C (M) to HDMI (F)	Adapter	4K



AD-RING-6



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K
DisplayPort (M) to HDMI (F)	Adapter	4K



AD-RING-7



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K
DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-8

USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K



AD-RING-9

USB type-C (M) to HDMI (F)	Adapter	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-11

USB type-C (M) to HDMI (F)	Adapter	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-12

USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter Cable	1080p/1920x1200
DisplayPort (M) to HDMI (F)	Adapter Cable	1080p/1920x1200



TL-RING

Adapter Ring Tool Set



K-Spider

Active Multi-Format Input (M) to HDMI Output (M) Adapter Cable 4K@60Hz



Adapter Cables



ADC-DPM/DF

DisplayPort (M) to DVI-I (F) Adapter Cable



AD-DPM/HF

DisplayPort (M) to HDMI (F) Adapter Cable



ADC-DPM/HF

DisplayPort (M) to HDMI (F) Adapter Cable



ADC-DPM/GF

DisplayPort (M) to 15-pin HD (F) Adapter Cable



ADC-MDP/DF

Mini DisplayPort (M) to DVI-D (F) Adapter Cable



ADC-MDP/HF

Mini DisplayPort (M) to HDMI (F) Adapter Cable



ADC-MDP/GF

Mini DisplayPort (M) to 15-pin HD (F) Adapter Cable



ADC-HM/DPF

4K HDMI (M) to DisplayPort(F) Adapter Cable



ADC-MDP/MI

Mini DisplayPort to DVI, HDMI or VGA Adapter Cable



ADC-MDP/M2

Mini DisplayPort to DVI, HDMI or DisplayPort Adapter Cable



ADC-DPM/HF/UHD

DisplayPort (M) to HDMI (F) 4K Active Adapter Cable



ADC-MDP/HF/UHD

Mini DisplayPort (M) to HDMI (F) 4K Active Adapter Cable



ADC-HM/GF

HDMI (M) to 15-pin HD (F) Adapter Cable



ADC-GM/HF

15-pin HD (M) to HDMI (F) with USB Audio/Power Adapter Cable



ADC-DPM/MDPF

DisplayPort (M) to Mini DisplayPort (F) Adapter Cable



ADC-MDP/DPF

Mini DisplayPort (M) to DisplayPort (F) Adapter Cable



ADC-U31C/DPF

USB 3.1 Type-C to DisplayPort Adapter Cable



ADC-U31C/GF

USB 3.1 Type-C to VGA Adapter Cable



ADC-U31C/HF

USB 3.1 Type-C to HDMI Adapter Cable



ADC-U31C/M1

USB 3.1 Type-C to VGA & USB 3.0 & PD Adapter Cable



ADC-U31C/M2

USB 3.1 Type-C to HDMI & USB 3.0 & PD Adapter Cable



ADC-USB31/CAE

USB 3.1 C(M) to A(F) Adapter Cable



AD-USB31/CAE

USB 3.1 C(M) to A(F) Adapter



AD-USB3/AC

USB 3.0 Type-C (F) to Type-A (M) Adapter



AD-UCF/UCF

USB 3.1 Type-C (F) to Type-C (F) Adapter



C-USBC/DPM-6

USB Type-C (M) to DisplayPort (M) Cable



C-USBC/GM-6

USB Type-C (M) to 15-pin HD (M)



ADC-HM/HF/PICO

Ultra-Slim High-Speed HDMI Flexible Adapter Cable with Ethernet

Docking Station



KDock-1

USB-C Hub Multiport Adapter
 4K@30 HDMI output
 USB 3.0
 USB-C charging pass-through



KDock-2

USB-C Hub Multiport Adapter with Ethernet port
 4K@30 HDMI output
 USB 3.0 data and charging port
 Ethernet port
 USB-C data port and charging pass-through



KDock-3

4K@30 HDMI output
 4K@30 DisplayPort output
 USB 3.0 data and charging port
 Ethernet port
 USB-C data port and charging pass-through



KDock-4

4K@30 HDMI output
 4K@30 DisplayPort output
 VGA output
 USB 3.0 data and charging ports
 Ethernet port
 USB-C charging pass-through
 SD and MicroSD ports



KDock-5

4K@30 HDMI output
 4K@30 DisplayPort output
 USB 3.0 data and charging ports
 Ethernet port
 Audio in/out port
 USB-C data port
 USB-C charging pass-through



KDock-6

Laptop holder
 4K@30 HDMI output
 4K@30 DisplayPort output
 USB 3.0 data and charging ports
 Ethernet port
 Audio in/out port
 USB-C data port
 USB-C charging pass-through

Adapters & Accessories

RG-6



CC-BNC-6

CON-COMP-BNC/M/RG-6;
 BNC Compression Connector for RG-6 Coax Cable; 25 pieces



CCR-BNC-6

BNC (M) PLUG CRIMP FOR RG-6



CON-RJ45-3

K-LAN Crimp Style RJ-45 Connectors for Category Cables



CABLE BOOT

Connector Boot for RJ-45
 CB-BLACK
 CB-LBLUE
 CB-GRAY
 CB-GREEN
 CB-PURPLE



CON-FIELD

Field Assembly Shielded RJ-45 Connectors for CAT Cable
 Fixed connector



CON-FIELD-360

Field Assembly Shielded RJ-45 Connectors for CAT Cable
 With variable cable entry, 8 positions possible

Bulk cables


CAT5E



BCLS-IIGY
CAT 5E U/UTP 24AWG 350MHz Bulk Cable — Low Smoke & Halogen Free


BCLS-IIGY-3	CAT 5E U/UTP LSZH Cable - Grey	305 m
-------------	--------------------------------	-------

CAT6



BCLS-21GR
CAT 6 U/UTP 23AWG 600MHz Bulk Cable — Low Smoke & Halogen Free


BCLS-21GR-3	CAT 6 U/UTP LSZH Cable - Green	305 m
-------------	--------------------------------	-------



BCLS-23GR
CAT 6 F/UTP 23AWG 400MHz Bulk Cable — Low Smoke & Halogen Free


BCLS-23GR-5	CAT 6 F/UTP LSZH Cable - Green	500 m
-------------	--------------------------------	-------

CAT6A




BCLS-31YL
CAT 6A U/UTP 23AWG 650MHz Bulk Cable — Low Smoke & Halogen Free

BCLS-31YL-5	CAT 6A U/UTP LSZH Cable - Yellow	305 m
-------------	----------------------------------	-------




BCLS-33OR
CAT 6A F/UTP LSZH Bulk Cable

BCLS-33OR-5	CAT 6A F/UTP LSZH Bulk Cable - Orange	500 m
-------------	---------------------------------------	-------




BC-UNIKAT/LSHF
CAT6A U/FTP Video & LAN Bulk Cable — Low Smoke & Halogen Free

BC-UNIKAT/LSHF-100M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	100 m
BC-UNIKAT/LSHF-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	305 m
BC-UNIKAT/LSHF-500M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	500 m
BC-UNIKAT/LSHF/BK-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black)	305 m



BC-UNIKAT/B2CA
CAT6A U/FTP Video & LAN Bulk Cable — Low Smoke & Halogen Free

BC-UNIKAT/B2ca-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black jacket and Reaction to fire, in accordance with Regulation (EU) No 305/2011, B2ca-sl.dl.a1)	305 m
---------------------	---	-------



BC6A-LS203
CAT6A U/FTP 650MHz 4x2x23AWG Bulk Cable — Low Smoke & Halogen Free

BC6A-LS203-D305M	CAT6A U/FTP 650MHz 23AWG Bulk Cable — Low Smoke & Halogen Free	305 m
BC6A-LS203-D500M	CAT6A U/FTP 650MHz 23AWG Bulk Cable — Low Smoke & Halogen Free	500 m




BC6A-LSD203
CAT6A Dual U/FTP 650MHz 2x4x2x23AWG Bulk Cable — Low Smoke & Halogen Free

BC6A-LSD203-D500M	CAT6A Dual U/FTP 650MHz 23AWG Bulk Cable - Low Smoke & Halogen Free	500 m
-------------------	---	-------




BC6A-LS403
CAT6A F/FTP 650MHz 4x2x23AWG Bulk Cable — Low Smoke & Halogen Free

BC6A-LS403-D305M	CAT6A F/FTP 650MHz 23AWG Bulk Cable - Low Smoke & Halogen Free	305 m
BC6A-LS403-D500M	CAT6A F/FTP 650MHz 23AWG Bulk Cable - Low Smoke & Halogen Free	500 m



BC6A-LSD403
CAT6A Dual F/FTP 650MHz 2x4x2x23AWG Bulk Cable — Low Smoke & Halogen Free

BC6A-LSD403-D500M	CAT6A Dual F/FTP 650MHz 23AWG Bulk Cable — Low Smoke & Halogen Free	500 m
-------------------	---	-------



BCLS-45RD-5
CAT 7 S/FTP 23AWG 750MHz Bulk Cable — Low Smoke & Halogen Free

BCLS-45RD-5	CAT 7 S/FTP 23AWG 750MHz Bulk Cable — Low Smoke & Halogen Free	500 m
-------------	--	-------

Bulk cables

CAT7A



BC-DGKat7a23

Four-Pair S/FTP Data Bulk Cable (23AWG)

BC-DGKat7a23-100M	23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products	100 m
BC-DGKat7a23-305M	23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products	305 m



BC-2S

Speaker Bulk Cable

BC-2S-300M	1 Pair: 16 AWG Speaker Bulk Cable	300 m
------------	-----------------------------------	-------

Speaker



BC-2S12/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free

BC-2S12/LSHF-300M	Speaker Cable 12AWG — Low Smoke & Halogen Free	300 m
-------------------	--	-------



BC-2S/18

Speaker Bulk Cable

BC-2S/18-100M	1 Pair: 18 AWG Speaker Bulk Cable	100 m
---------------	-----------------------------------	-------



BC-2S14/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free

BC-2S14/LSHF-300M	Speaker Cable 14AWG — Low Smoke & Halogen Free	300 m
-------------------	--	-------



BC-4S14/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free

BC-4S14/LSHF	4 Conductor Speaker Bulk Cable — Low Smoke & Halogen Free	300 m
--------------	---	-------

Audio / Control



BC-IT

Mono Audio/Control Bulk Cable

BC-IT-300M	1 Shielded Pair: 20 AWG Audio or Control Bulk Cable	300 m
------------	---	-------



BC-2T

Stereo Audio/Control Bulk Cable

BC-2T-300M	2 Shielded Pair: 20 AWG Audio or Control Bulk Cable	300 m
------------	---	-------

COAX



BC-IX

1 Coax RG-6 Super High-Resolution Bulk Cable

BC-IX-100M	1 Coax: RG-6 Bulk Cable	100 m
BC-IX-300M	1 Coax: RG-6 Bulk Cable	300 m



BC-RG63G

1 Coax RG-6 Broadcast Quality Optimized for 3G HD-SDI Bulk Cable

BC-RG63G-152M	1 Coax: Broadcast Quality RG-6 Bulk Cable	152.4 m
BC-RG63G-305M	1 Coax: Broadcast Quality RG-6 Bulk Cable	305 m



BC-3X2T7S

14 Conductor Presentation/VGA Bulk Cable

BC-2S12/LSHF-300M	Speaker Cable 12AWG — Low Smoke & Halogen Free	300 m
BC-2S14/LSHF-300M	Speaker Cable 14AWG — Low Smoke & Halogen Free	300 m

Table Boxes



TBUS-I-KWC
TBUS with Wireless Charging Spot

Table Boxes

RTBUS-4C

Round Table Mount 4 Cable Pass-Through



Available Colors: ● ●

- Elegant in-table solution
- Easy to install
- Maximum diameter of 8mm and minimum strain relief width of 9mm

TBUS-100XL

Table Mount 4 Cable Pass-Through



Available Colors: ●

- Pneumatic Lid
- Elegant in-table solution
- Easy to install
- 4 cable pass through

RTBUS-11

Only in N. America

Round Table Mount Multi-Connection Solution — Pneumatic Lid



Available Colors: ● ●

- Elegant in-table solution
- Easy to install
- Pop-up Lid

⚠ Power socket and power cord are purchased separately (see page 24-25)

⚠ Power socket and power cord are purchased separately (see page 24-25)

⚠ Power socket and power cord are purchased separately (see page 24-25)

Table Boxes

RTBUS-25XL

Round Table Mount Multi-Connection Solution — Pneumatic Lid — 110mm Cut-Out



Available Colors: ●

- Elegant in-table solution
- Easy to install
- Pop-up lid
- Inputs — 15-pin HD, USB, 3.5mm, HDMI, Ethernet.

RTBUS-27XL

Round Table Connection Bus for Power Socket and Cable Pass-Throughs




Available Colors: ●

- Elegant in-table solution
- Easy to install
- Pop-up lid
- 2x cable pass through.

RTBUS-28XL

Round Table Connection Bus for Power Socket , USB Charging and Cable Pass-Throughs



Available Colors: ● ●

- Elegant in-table solution
- Easy to install
- Pop-up lid


⚠ Power socket and power cord are purchased separately (see page 24-25)

⚠ Power socket and power cord are purchased separately (see page 24-25)

Table Boxes

TBUS-20XL(WAVES)

Table Mount Modular Multi-Connection Solution – Unique Design



- Cover — Manually opens & closes.
- Innovative Carbon look finish
- Unique lid shape with cables tunnels (waves)
- Lid open to both sides
- Lid wings can be fixed at any angle
- Easy and fast to install (electric screw driver from the top side of the table)
- Inner Frame —"T20AF" inner frame options
- Power Sockets —"TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

ⓘ Frames, power sockets, and power cords are purchased separately (see pages 29-30)

TBUS-IAXL

Table Mount Modular Multi-Connection Solution — Tilt-Up Lid



- Cover — Manually opens & closes.
- Inner Frame —"TIAF" inner frame options
- Power Sockets —"TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

ⓘ Frames, power sockets, and power cords are purchased separately (see pages 29-30)

TBUS-IN

Table Mount Modular Multi-Connection Solution — Retractable Lid



- Cover — Manually opens & closes. Hidden when Open.
- Inner Frame —"TIAF" inner frame options
- Power Sockets —"TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

ⓘ Frames, power sockets, and power cords are purchased separately (see pages 29-30)

TBUS-I-KWC

TBUS with Wireless Charging Spot




- Cover — Manually opens & closes.
- Integrated Wireless Charging Spot — on Lid.
- Inner Frame —"TIAF" inner frame options
- Power Sockets —"TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

ⓘ Frames, power sockets, and power cords are purchased separately (see pages 29-30)


Frame for TBUS-20XL(WAVES)



T20F-64

Inner Panel for TBUS-20XL-WAVES

Frames for TBUS IAXL, TBUS-IN and TBUS-I-KWC



TIAF-16

1 Single Power Socket Slot, 6 Insert Slots (Includes 4 Blank & 2 Cable Pass-Through Inserts)



TIAF-26

1 Double Power Socket Slot, 6 Insert Slots (Includes 4 Blank & 2 Cable Pass-Through Inserts)



TIAF-44

2 Double Power Sockets Slots, 4 Insert Slots (Includes 2 Blank & 2 Cable Pass-through Inserts)

Table Boxes

TBUS-10XL

Table Mount Modular Multi-Connection Solution — Manually Retracting Lid



- Cover — Manually opens & closes. Hidden when Open.
- Inner Frame — "T10AF" inner frame options, T10F-22M can accommodate a Kramer MegaTOOL zise product
- Power Sockets — "TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Shown complete with frame and socket




Available Colors: ● ●

! Frames, power sockets, and power cords are purchased separately (see pages 29-30)

Frames for TBUS-10XL

T10F-22M

- 2 Single Power Socket Slots
- 2 Insert Slots
- 1 Slot for a Kramer MegaTOOL



T10F-33

- 1 Dual & 1 Single Power Socket Slots
- 2 Blank Insert Slots
- 1 Cable Pass-Through



UTBUS-1XL

Under-the-Table Modular Multi-Connection Solution Enclosure




- Power Sockets — "TS" single power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.

! Frames, power sockets, and power cords are purchased separately (see pages 29-30)

UTBUS-2XL

Under-the-Table Modular Connection Bus



- Power Sockets — 10 different "TS" dual power socket options are available to accommodate the power requirements worldwide. (Purchased separately).
- Power Cord — 8 different "C-AC" single power cords for each power socket. (Purchased separately).
- Insert Slots — 6.
- Installation Requirement — Requires 34.0cm x 13.7cm (13.39" x 5.4") of free space beneath the table.
- Weight — 0.7kg (1.54lbs) approx.

! Frames, power sockets, and power cords are purchased separately (see pages 29-30)

Table Boxes

TBUS-3XL

Table Mount Modular Multi-Connection Solution — Tilt-Up Lid



Shown complete with frame and socket



- Cover — Manually opens & closes.
- Inner Frame — "T3F" inner frame options
- Power Sockets — "TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

ⓘ Frames, power sockets, and power cords are purchased separately (see pages 29-30)

Frames for TBUS-3XL

T3F-1S

- 1 Single Power Socket Slot
- 1 Fixed 15-pin HD (PC)
- 1 Fixed USB-A
- 1 Fixed RJ-45 (Ethernet)
- 1 Fixed 3.5mm (Audio)




T3F-13

- 1 Single Power Socket Slot
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



T3F-1C

- 1 Single Power Socket slot
- 4 Fixed Cable Pass-Through



TBUS-5XL

Table Mount Modular Multi-Connection Solution — Manually Retracting Lid



Shown complete with frame and socket



- Cover — Manually opens & closes. Hidden when Open.
- Inner Frame — "T5F" inner frame options
- Power Sockets — "TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

ⓘ Frames, power sockets, and power cords are purchased separately (see pages 29-30)

Frames for TBUS-5XL

T5F-1S

- 1 Power Socket Slot
- 1 Fixed 15-pin HD (PC)
- 1 Fixed USB-A
- 1 Fixed RJ-45 (Ethernet)
- 1 3.5mm (Audio)



T5F-13

- 1 Power Socket Slot
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



Table Boxes

TBUS-4XL

Table Mount Modular Multi-Connection Solution — Tilt-Up Lid



Shown complete with frame and socket



- Cover — Manually opens & closes. Hidden when Open.
- Inner Frame — "T4F" inner frame options
- Power Sockets — "TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

! Frames, power sockets, and power cords are purchased separately (see pages 29-30)

Frames for TBUS-4XL

T4F-2S:

- 2 Single Power Sockets Slots
- 2 Fixed 15-pin HD (PC)
- 2 Fixed USB-A
- 2 Fixed RJ-45 (Ethernet)
- 2 Fixed 3.5mm (Audio)



T4F-23

- 2 Single Power Sockets Slot
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



TBUS-6XL

Table Mount Modular Multi-Connection Solution — Manually Retracting Lid



Shown complete with frame and socket



- Cover — Manually opens & closes. Hidden when Open.
- Inner Frame — "T6F" inner frame options
- Power Sockets — "TS" single and dual power socket
- Optional Accessories — TBUS inserts, KRT cable retractors.
- UL and CE Qualified.
- Connector Depth — Adjustable.

Available Colors: ● ●

! Frames, power sockets, and power cords are purchased separately (see pages 29-30)

Frames for TBUS-6XL

T6F-2S

- 2 Single Power Sockets Slots
- 2 Insert Slots
- 2 Fixed 15-pin HD (PC)
- 2 Fixed RJ-45 (Ethernet)
- 2 Fixed 3.5mm (Audio)
- 2 Fixed USB-A



T6F-09

- 9 Insert Slots (Includes 6 Blank & 3 Cable Pass-Through Inserts)



T6F-23

- 2 Single Power Socket Slots
- 3 Insert Slots (Includes 2 Blank & 1 Cable Pass-Through Inserts)



Table Boxes

K-POD302

Mounting Enclosure for Kramer 3-Gang Size Products



- Compatible with Kramer RC-74DL control keypad (sold separately)
- Enhances room design
- Cost-effective and easy to install
- Ideal for boardrooms and conference rooms

POD302-IGD

Mounting Enclosure for Kramer 1-Gang Decora Size and Inserts



- On-table modular connectivity panel
- Easy to install, easy to use, and fully customizable with Kramer's line of power sockets, inserts, and cables & Kramer Decora size devices

K-POD303

Mounting Enclosure for Decora size products and Kramer Inserts



- On-table modular connectivity panel
- Easy to install, easy to use, and fully customizable with Kramer's line of power sockets, inserts, and cables & Kramer Decora size devices

MegaEdge US (US Version)

Portable Table Mount Power Station



- Power station with 120v AC output
- Power any mobile device or laptop
- Maximize active class learning freedom & flexibility
- Theft prevention
- All-in-one unit for power & charging

MegaEdge WW (Worldwide version)

Portable Table Mount Power Station



- Power station with 240v AC output
- Power any Mobile Device or Laptop
- Maximize Active Class Learning Freedom & Flexibility
- Theft Prevention
- All-in-One Unit for Power & Charging

Table Boxes

KRT-4

Cable Retractor



- Available for HDMI, VGA, Audio (3.5mm), LAN, USB, and DisplayPort connectors
- Extends cable up to 1.8m (5.9ft)
- Easy to install in a TBUS or as a stand-alone
- Compatible with many Kramer TBUS models

KRT-4-H	High-speed HDMI with Ethernet cable retractor with HDMI connector
KRT-4-DP	DisplayPort cable retractor with DisplayPort connector
KRT-4-VGA	VGA cable retractor with VGA connector
KRT-4-LAN	CAT 6 cable retractor with RJ-45 connector
KRT-4-A	Audio cable retractor with 3.5mm mini jack connector
KRT-4-U32/FF	USB type-C cable retractor with USB type-C connector
KRT-4-USB-3	USB 3.0 cable retractor with USB type-A connector
KRT-4-3H2	High-Speed HDMI 4K cable retractor with PT-3H2 signal extender

KRT-4-MI

Table Mounting Bracket for KRT-4



Single Power Socket



TS-1U
TBUS Power Socket - Universal



TS-1US
TBUS Power Socket - USA



TS-1GB
TBUS Power Socket - Great Britain



TS-1DE
TBUS Power Socket - Germany



TS-1FR
TBUS Power Socket - France



TS-1IT
TBUS Power Socket - Italy



TS-1CH
TBUS Power Socket - Switzerland



TS-1AU
TBUS Power Socket - Australia



TS-1IL
TBUS Power Socket Bracket for Legrand Mosaic Sockets



TS-1ZA
TBUS Power Socket Bracket - South Africa (socket purchased separately by installer)



TS-1BR
TBUS Power Socket - Brazil (contains 2 sockets in a single socket opening). Sockets purchased separately by installer.

Dual Power Socket




TS-2U
TBUS Dual Power Socket - Universal




TS-2US
TBUS Dual Power Socket - USA



TS-2GB
TBUS Dual Power Socket - Great Britain



TS-2DE
TBUS Dual Power Socket - Germany



TS-2FR
TBUS Dual Power Socket - France




TS-2IT
TBUS Dual Power Socket - Italy



TS-2CH
TBUS Dual Power Socket - Switzerland



TS-2AU
TBUS Dual Power Socket - Australia



TS-2IL
TBUS Power Socket Bracket for 2 Legrand Mosaic Sockets



TS-2ZA
TBUS Power Socket Bracket - South Africa (sockets purchased separately by installer)

Table Boxes

Power Sockets & Cables



TS-PEU
Universal Socket Power Extension for Modular TBUS



TS-2UCA/U, TS-2UCA/DE
TBUS Dual Socket Module with 1 Universal AC Power Socket and 2 USB Charging Ports
A&C ports



TS-UCA
TBUS socket module with 2 USB charging ports.
A&C ports



TS-2UC/U
TBUS Dual Socket Module with 1 Universal AC Power Socket and 2 USB Charging Ports



TS-201U
TBUS Power Socket Modules for all Kramer pop-up and round TBUS models.
Available AC models: Universal, Australia, Israel, Switzerland, 110V AC USA, South Africa, Germany, Italy, Brazil, France, Great Britain



TS-2UC/DE
TBUS Dual Socket Module with 1 DE (German/European) AC Power Socket and 2 USB Charging Ports



TS-2UC/US
TBUS Dual socket module with 2 US AC power sockets and 2 USB charging ports



T-2INSERT
TBUS Bracket to Install 2 Inserts in a Power Socket Opening



T-4INSERT
TBUS Bracket to Install Four Inserts in a Dual Power Socket Opening



T-IGD
Mounting Bracket for Installing 1-Gang US-D Size Product Inside TBUS



KRAMER CABLE GUARD
Under the Table Cable Protector for TBUS



CT-200
Hook and Loop Cable Ties



C-AC
TBUS AC Power Cord

C-AC/US	TBUS AC Power Cord — 6ft USA 110V AC	1.80m
C-AC/EU	TBUS AC Power Cord — Right-Angle Europe 6ft 220V AC	1.80m
C-AC/UK	TBUS AC Power Cord — UK 6ft 250V AC	1.80m
C-AC/IP	TBUS AC Power Cord — Japan 6ft 125V AC	1.80m
C-AC/IL	TBUS AC Power Cord — Israel 6ft 220V AC	1.80m
C-AC/IN	TBUS AC Power Cord — Right-Angle India 6ft 250V AC	1.80m
C-AC/CN	TBUS AC Power Cord — Right-Angle China 6ft 250V (10amp)	1.80m
C-AC/ZA	TBUS AC Power Cord — Right-Angle South Africa 6ft 250V (10amp)	1.80m
C-AC/AU	TBUS AC Power Cord — Australia 240V (10Amp)	1.80m



C-ACY
TBUS AC Power Cord Dual Outputs

Y-Type

C-ACY/US	TBUS AC Power Cord Dual Outputs — USA 6ft 110V AC	1.80m
C-ACY/EU	TBUS AC Power Cord Dual Outputs — Right-Angle Europe 6ft 220V AC	1.80m
C-ACY/UK	TBUS AC Power Cord Dual Outputs — UK 6ft 240V AC	1.80m

Inserts

Audio



WA-1PN
Wall Plate Insert — 3.5mm Stereo Audio



WA-1XLF
Wall Plate Insert — XLR (F)



Special



W-2UC
Wall Plate Insert — Dual USB Charger



RC-10TB
Wall Plate Insert — 1-Button Contact Closure Switch



RC-20TB
Wall Plate Insert — 2-Button Contact Closure Switch



RC-21TB
Wall Plate Insert — 2-Button Contact Closure Switch



VGA



WX-2F
Wall Plate Insert — 15-pin HD (F/F)



Data



W-45
Wall Plate Insert — RJ-45



W4545
Wall Plate Insert — Dual RJ-45



WA-45
Wall Plate Insert — 3.5mm Stereo Audio & RJ-45



WU-BA
Wall Plate Insert — USB (B/A)



WU-AB
Wall Plate Insert — USB (A/B)



Digital



WU-AA
Wall Plate Insert — USB (A/A)



WU-2AA
2 x USB 2.0 (A/A) Wall Plate Insert



WU-CA
USB-C Single Wall-Plate Insert



W-H
HDMI Wall Plate Insert



W-DP
Wall Plate Insert — DisplayPort



Blank



WCP
Wall Plate Insert — Cable Pass-Through



WCP-21
Wall Plate Insert — Two-Sized Cable Pass-Through



WCP-2
Wall Plate Insert — Dual Cable Pass-Through



W-Blank
Wall Plate Insert — Blank Slot Cover Plate



W-2BLANK
Wall Plate Insert — Double Blank Slot Cover Plate



TS-1WUS
Dual Insert US Power Socket Module

Inserts

Frames



FRAME-1G/EUK
FRAME-1G/BG
Frame for Wall Plate Inserts
— 1 Gang
2 Inserts

Available Colors ● ● ○



FRAME-1G/US
Frame for Wall Plate Inserts
— 1 Gang
3 Inserts

Available Colors ● ● ○



FRAME-2G/EUK
Frame for Wall Plate Inserts
— 2 Gang
4 Inserts

Available Colors ● ● ○



FRAME-1GP-80
Design Frame for 2 Wall
Plate Inserts — 1-Gang
EU-Size

Available Colors ● ○



FRAME-1GP-86
Design Frame for 2 Wall
Plate Inserts — 1-Gang
UK-Size

Available Colors ● ○



RK-WP6
19-inch rack adapter for mounting 6 single slot wall plate inserts
into a 1U rack space

On-Wall Boxes



On-Wall Box (US-D)
DECORA® On-Wall Box

- Size — 1 gang — 75.1mm x 119.5mm x 48mm (2.96" x 4.71" x 1.89"); 2 gang — 121.3mm x 119.5mm x 48mm (4.78" x 4.71" x 1.89").
- Availability — Available in white.


OWB-1G/D On-Wall Box, 1 Gang (US-D)
OWB-2G/D On-Wall Box, 2 Gang (US-D)



On-Wall Box (EU)
On-Wall Box European Size

- Size — 1 gang models — 80mm (W) x 80mm (H) (3.1" x 3.1"); 2 gang models — 148mm(W) x 80mm (H) (5.8" x 3.1"); for Depth see configurations.
- Color — Available in white.
- Included Hardware — Frame for 2/4/6 wall plate inserts. Inserts and blanks are not included.

OWB-1G/EU On-Wall Box, 1 Gang European, 40mm Depth
OWB-2G/EU On-Wall Box, 2 Gang European, 40mm Depth
OWB-1G/65 On-Wall Box, 1 Gang European, 65mm Depth
OWB-2G/65 On-Wall Box, 2 Gang European, 65mm Depth




On-Wall Box (Merten)
On-Wall Box Merten

- Dimensions — 148mm x 80mm x 40mm (5.8" x 3.1" x 1.5").
- Size — 2 gang EU, available in polar white.
- Included Hardware — Housing (4 preformed cable entries, sealed with blanking caps) and M-Smart frame.
- Product Identical to MERTEN 512219 & 484219.

OWB-2G/M On-Wall Box, 2 Gang Merten

kramerav.com



© 2023 Kramer Electronics, Ltd. All rights reserved. Reproduction in whole or part without written permission is prohibited.

DECORA® is a registered trademark of Leviton Manufacturing Co., Inc. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.